

Towbar Fitting Instructions To Suit HOLDEN COMMODORE SEDAN VP/R/S V8 WITH IRS 10/91-7/97 HOLDEN STATESMAN & CAPRICE VQ SERIES 1&2 & VR 3/90-ON TOYOTA LEXCEN SEDAN WITH 80 LTR FUEL TANK & IRS 10/93-ON Part Number QTHD484 Rating 2100Kg


- 1. Ensure all hardware items have been included.
- 2. Remove boot floor carpet and rear panel trim.
- 3. Disconnect licence lamp lead if fitted to bumper bar.
- 4. Remove bumper bar assembly.
- 5. Lift towbar into position and support with jack.
- 6. Ensure towbar is straight and square to vehicle.
- 7. Drill four rearmost holes through rear panel of boot.
- 8. Fit large loose plate inside aligning with four holes just drilled.
- 9. Fit 4-M10x35 bolts, spring washers and nuts loosely (do not tighten).
- 10. Remove jack.
- 11. Remove two bolts securing driver's side ABS sensor to diff housing.
- 12. Carefully position two forward arms up between diff housing and fuel tank.
- 13. Align arms with four holes in towbar tail plate and fit 4M12x35 bolts, spring washers and nuts loosely (do not tighten).
- 14. Using holes in two tabs welded off arms as guides drill two 13mm holes into sub frame.
- 15. Fit two bolts on wires through large holes located either side of tabs welded off arms and into holes just drilled.
- 16. Fit spring washers and nuts and tighten.
- 17. Using long 11mm drill, drill two holes in top of arms into boot (alternatively mark with centre punch and drill from inside boot).
- 18. Fit 2-M10x40 coach bolts and loose plates.
- 19. Drill remaining four holes and fit 4-M10 coach bolts and loose plates.
- 20. Refit ABS sensor.
- 21. Tighten all bolts to torque listing below.
- 22. Refit bumper.
- 23. Refit carpet and trim.

RECOMMENDED ASSEMBLY TORQUE LISTING

<u>Diameter</u>	Grade 8.8 Bolt
	Nm
M6	9.5
M8	21.7
M10	43.4
M12	77.3
M14	121.0
M16	189.8



Towbar Fitting Instructions
To Suit HOLDEN COMMODORE SEDAN VP/R/S V8 WITH IRS 10/91-7/97
HOLDEN STATESMAN & CAPRICE VQ SERIES 1&2 & VR 3/90-ON
TOYOTA LEXCEN SEDAN WITH 80 LTR FUEL TANK & IRS 10/93-ON
Part Number QTHD484
Rating 2100Kg





Towbar Fitting Instructions
To Suit HOLDEN COMMODORE SEDAN VP/R/S V8 WITH IRS 10/91-7/97
HOLDEN STATESMAN & CAPRICE VQ SERIES 1&2 & VR 3/90-ON
TOYOTA LEXCEN SEDAN WITH 80 LTR FUEL TANK & IRS 10/93-ON
Part Number QTHD484
Rating 2100Kg